



APB-224-M



ALIMENTADOR PARA AMPLIFICADORES DE MÁSTIL
POWER SUPPLY UNIT FOR MAST-HEAD AMPLIFIERS
ALIMENTATION POUR AMPLIFICATEURS DE MÂT

MODELO / MODEL / MODÈLE		APB-224-M
REF.		3437
Tipo de regulación Regulation type Type de régulation		conmutada switch mode à découpage
Salidas Outputs Sorties		2
Tensión de red (50 Hz) Mains voltage Tension secteur	VAC	100 - 240
Tensión de salida Output voltage Tension de sortie	VDC	+24 (±5%)
Corriente máx. de salida Max output current Courant max de sortie	mA	100
Banda de frecuencias Frequency range Bande de fréquences	MHz	47 - 862
Atenuación de inserción RF insertion loss Affaiblissement de passage	dB	≤ 4
Rendimiento Efficiency Rendement	%	>70
Dimensiones Dimensions	mm	50 x 50 x 25



1. Fijación mural


Wall fixing

Fixation au mur

- 1 pegar percha en la pared
fix hanger on the wall
fixe le support mural

1

Adhesivo
Adhesive
Adhésif




Nivel burbuja
Bubble level
Niveau à bulle

Percha de fijación
Fixing hanger
Support mural



- 2 taladrar (opcional)
drill (optional)
perforer (optionnel)

2




- 3 colocar alimentador APB
place APB power supply
accrocher l'alimentateur APB

3



2. Conexión red alterna Connecting to the mains supply Raccordement secteur



3. Ejemplo de aplicación típica Typical application example Exemple d'application typique

